

| Table & Chair Specifications | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|--|---------------------------------------|--|--|--|---|---|---|--|----------------------|---------------------|-----------------------------|----------------------------|---|--|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories |
| 100 Series Procedure Chair | 3 section: Backrest 26" (66cm), Seat 24" (61cm), Foot 13" (33cm) | 27" (69cm), leg section is 22"(56cm) | 74" (188 cm), 80" (203 cm) w head rest extended | 19"-35" (48cm-90cm) | Comfort Foam 2.5", (formerly known as Multi-Layer 2.5") Option 4" Comfort foam | TERRATOUGH™ | Electric height adjustment, electric Trendelenburg/Reverse motion =15/5 degs, electric Backrest motion =80 degrees max., paper roll holder (up to 21" rolls), integrated manual leg rest (90 deg, w 4 discrete positions), 10"x10" Head rest, Top plastic enclosure (black), Three Function Foot Control (Height, Trendelenburg, Fowler) | Straps, Fold away armrests (16.5"x3.5"), Designer acrylic top and base covers (Solid color choices include, Black, Cool White, Grey, Beige) | Three Function Hand Control (Height, Trendelenburg, Fowler) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 273 | 124 | 409 | 186 | 65"x37"x34" (Stackable 2 high max) | Various Face Rest Crescents, 6" Detachable T-Rail |
| Advanta™ | Flat Top (Round Corner Contoured Top) | Contoured Top, 28", 21", 28" (71cm, 53cm, 71cm) | 65" (165cm) | 21"-32" (53cm-81cm) | SEMI-FIRM (2.5") Option Plush (3"), Firm(1.5") | TERRATOUGH™ | Ergonomic Contour top, Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs | --- | --- | 550 lbs. (249 kg) | CE Marked | 23-27 | 10-12 | 42 | 19 | 40"x11"x30" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests (use only w/ Recess Filler), Field Feet, Various Carry Cases, Aluminum Arm Rest, Arm Hammock |
| Alliance™ Aluminum | Backrest (Rectangular) | 30"(76cm) Option 27" (69cm) | 73" (185cm) | 24"-34" (61cm-86cm) | SEMI-FIRM (2.5") Option Plush (3"), Firm(1.5") | TERRATOUGH™ | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs | --- | --- | 550 lbs. (249 kg) | CE Marked | 30-36 | 14-16 | 50-53 | 23-24 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Field Feet, Various Carry Cases, Aluminum Arm Rest, Arm Hammock |
| Alliance™ Wood | Backrest (Rectangular) | 30"(76cm) Option 27" (69cm) | 73" (185cm) | 24"-34" (61cm-86cm) | SEMI-FIRM (2.5") Option Plush (3"), Firm(1.5") | TERRATOUGH™ | Patented Integra Hinge, Engraved Wooden Knobs, UniLock, Shiatsu Cable System, Cable Lock System, Maple Legs and Braces, Ultimate Access End Panel (head end of table) | Laser Engraving, Wooden armrest shelf, Black or Vanilla Grommets, Uni-locks & Bumpers | --- | 550 lbs. (249 kg) | CE Marked | 32-38 | 15-17 | 50-53 | 23-24 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Various Carry Cases, Wood Arm Rest, Arm Hammock |
| Aurora™ | Flat Top (Rectangular) | 28", 30" (72cm, 76cm) | 73" (185cm) | 24"-34" (61cm-86cm) | PLUSH (3") Option Semi-Firm (2.5") | TERRATOUGH™ | Patented Integra Hinge, Engraved Wooden Knobs, UniLock, Ultimate Access End Panel, Shiatsu Cable System, Cable Lock System, Maple Legs and Braces | Custom Laser Engraving, Wooden armrest shelf, Black or Vanilla Grommets, Uni-locks & Bumpers | --- | 550 lbs. (249 kg) | CE Marked | 25-31 | 11-14 | 46 | 21 | 28": 40"x11"x32" 30": 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Various Carry Cases, Wood Arm Rest, Arm Hammock |
| BOSS™ | Flat Top (Rectangular) | 29", 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | SEMI-FIRM(2.5") Option Firm(1.5") | TUFFLEX™ (Black or Royal Blue) Option TerraTouch™, Tufflex™ (other colors) | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs. Included but ordered separately - Field Feet | Face hole w filler (will consider for multiple table bulk orders), Sport stripe, Custom embroidery | --- | 600 lbs. (272 kg) | CE Marked | 29-35 | 13-16 | 46-50 | 21-23 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Field Feet, Various Carry Cases, Aluminum Arm Rest, Arm Hammock |
| BOSS™ | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | SEMI-FIRM(2.5") Option Firm(1.5") | TUFFLEX™ (Black or Royal Blue) Option TerraTouch™, Tufflex™ (other colors) | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs. Included but ordered separately - Field Feet | Face hole w filler (will consider for multiple table bulk orders), Sport stripe, Custom embroidery | --- | 600 lbs. (272 kg) | CE Marked | 29-36 | 13-16 | 46-50 | 21-23 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Field Feet, Various Carry Cases, Aluminum Arm Rest, Arm Hammock |
| Cabana Lounger (Adjustable) | Wave Backrest (Rectangular) | 31" (79cm) | 73" (185cm) | 20"-32" (51cm-81cm) | AEROCEL (3") | DURATOUGH™ | Facerest outlets, Manual height adjustment, Mahogany wood, High UV rated outdoor marine grade fabric and finish | Cabana Bench Back Rest | --- | 550 lbs. (250 kg) | CE Marked | 95 | 43 | 183 | 83 | 81"x38"x26" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender |
| Celesta | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 25"-37" (64cm-94cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Cabinet, Electrical Outlet, One Function Foot Control (Height) | Custom Wood Finishes, Laser Engraving | One Function Hand Control (Height) | 500 lbs. (227 kg) | CE Marked (cETLus Listed - Future TBD) | 252 | 114 | 340 | 154 | 81"x38"x33" | Hot Towel Cabi, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests |
| Celesta | Electric Salon (Armrest compatible) | 31" ONLY (79cm) | 73" (185cm) | 25"-37" (64cm-94cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Cabinet, Electrical Outlet, Three Function Foot Control (Height, Backrest, Leg), Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees. | Custom Wood Finishes, Laser Engraving | Three Function Hand Control (Height, Backrest, Leg) | 500 lbs. (227 kg) | CE Marked (cETLus Listed - Future TBD) | 252 | 114 | 340 | 154 | 81"x38"x33" | 2012 Spa Table Accessory Packages, Hot Towel Cabi, Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender |
| CFLU401-Lithotripsy Imaging | Carbon Fiber top w integrated T-rails, 23"x28" cantilevered end extension w integrated T-rails, 23"x16" tower end extension w integrated T-rails. | 23" (58cm) | 47" (119cm) plus 28" (71cm) extension, plus 16" (41cm) extension | 27.5"- 45.5 (70cm-116cm) w/5" casters | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 4 Motion, 5" Casters, Heavy Duty Column, Trendelenburg Tilt =+15/-11 degs, Longitudinal Motion = +10", Lateral Motion = ± 4", (5) lateral extension-8" Wide, Flexible Urology hoop, Emergency Stop, locking casters, 1" removable table top pads, patient safety strap, 1 foot (high/low, Trendelenburg, Lateral travel, Longitudinal travel), 1 hand (high/low, Trendelenburg, Lateral travel, Longitudinal travel) | (5) lateral extension-5" Wide, 23"x20" tower end extension w integrated T-rails. | --- | 500 lbs. (227 kg) main top, 200 lbs. (91 kg) distributed on cantilevered end extension, support tower end extension and side lateral extensions | FDA cETLus CE Marked CB Certificate | 578 | 262 | 710 | 322 | 64"x37"x41" (Stackable 2 high max) | Table Top Pads, CF Armboard, Clear Protective Drape |

| Table & Chair Specifications | | | | | | | | | | | | | | | | | |
|------------------------------|--|------------|---------------------------------------|---|---|-------------|--|--------------------------------------|------------------------------|--|--|----------------------|---------------------|-----------------------------|----------------------------|---|--|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories |
| CFPM100 | Carbon Fiber (Integrated Head Rest) | 22" (56cm) | 84" (213cm) | 22"-40" (56cm-102cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 1 Motion, 4" Casters, 1" Removable Table Top Pad, 3 pad package: Face Cushion; 2'(5cm)x12'(31cm) Square pad; 4' (10cm) thick x 12'(31cm) Square pad, Patient Safety Strap, One Function Foot Control (Height) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 379 | 172 | 511 | 232 | 99"x37"x39" | Table Extender, Arm Hammock, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPM100 | Carbon Fiber (Rectangular) | 24" (61cm) | 80" (203cm) | 22"-40" (56cm-102cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 1 Motion, 4" Casters, 1" Removable Table Top Pad, Patient Safety Strap, One Function Foot Control (Height) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 379 | 172 | 511 | 232 | 99"x37"x39" | Table Extender, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPM300 | Carbon Fiber (Integrated Head Rest) | 22" (56cm) | 84" (213cm) | 26"-44" (66cm-112cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 3 Motion, 4" Casters, 1" Removable Table Top Pad, Trendelenburg Tilt (+15/-12 degrees), Lateral Tilt (+/- 15 degrees), 3 pad package - Face Cushion; 2'(5cm)x12'(31cm) Square pad; 4' (10cm) thick x 12'(31cm) Square pad; Patient Safety Strap, 1 foot (high/low, Trendelenburg, Lateral tilt) AND 1 hand (high/low, Trendelenburg, Lateral tilt) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 468 | 212 | 600 | 272 | 99"x37"x39" | Table Extender, Arm Hammock, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPM300 | Carbon Fiber (Rectangular) | 24" (61cm) | 80" (203cm) | 26"-44" (66cm-112cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 3 Motion, 4" Casters, 1" Removable Table Top Pad, Trendelenburg Tilt (+15/-12 degrees), Lateral Tilt (+/- 15 degrees), Patient Safety Strap, 1 foot (high/low, Trendelenburg, Lateral tilt) AND 1 hand (high/low, Trendelenburg, Lateral tilt) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 468 | 212 | 600 | 272 | 99"x37"x39" | Table Extender, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPM400 | Carbon Fiber (Integrated Head Rest) | 22" (56cm) | 84" (213cm) | 26"-44" (66cm-112cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 4 Motion, 4" Casters, 1" Removable Table Top Pad, Trendelenburg Tilt (+15/-12 degrees), Lateral Tilt (+/- 15 degrees), Longitudinal travel (10"), 3 pad package - Face Cushion; 2'(5cm)x12'(31cm) Square pad; 4' (10cm) thick x 12'(31cm) Square pad; Patient Safety Strap, 1 foot (high/low, Trendelenburg, Lateral tilt, Longitudinal travel), 1 hand (high/low, Trendelenburg, Lateral tilt, Longitudinal travel) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 535 | 243 | 667 | 303 | 99"x37"x39" | Table Extender, Arm Hammock, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPM400 | Carbon Fiber (Rectangular) | 24" (61cm) | 80" (203cm) | 26"-44" (66cm-112cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 4 Motion, 4" Casters, 1" Removable Table Top Pad, Trendelenburg Tilt (+15/-12 degrees), Lateral Tilt (+/- 15 degrees), Longitudinal travel (10"), Patient Safety Strap, 1 foot (high/low, Trendelenburg, Lateral tilt, Longitudinal travel), 1 hand (high/low, Trendelenburg, Lateral tilt, Longitudinal travel) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 535 | 243 | 667 | 303 | 99"x37"x39" | Table Extender, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPM401 | Carbon Fiber (Integrated Head Rest) | 22" (56cm) | 84" (213cm) | 26"-44" (66cm-112cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 4 Motion, 4" Casters, Trendelenburg Tilt (+15/-11 degrees), Lateral Travel (4"), Longitudinal travel (10"), Patient Safety strap, Emergency Stop, locking casters, 1" removable table top pads, 3 pad package - Face Cushion; 2'(5cm)x12'(31cm) Square pad; 4' (10cm) thick x 12'(31cm) Square pad, 1 foot (high/low, Trendelenburg, Lateral travel, Longitudinal travel), 1 hand (high/low, Trendelenburg, Lateral travel, Longitudinal travel) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 566 | 257 | 698 | 317 | 99"x37"x39" | Table Extender, Arm Hammock, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPM401 | Carbon Fiber (Rectangular) | 24" (61cm) | 80" (203cm) | 26"-44" (66cm-112cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 4 Motion, 4" Casters, Trendelenburg Tilt (+15/-11 degrees), Lateral Travel (4"), Longitudinal travel (10"), Patient Safety strap, Emergency Stop, Individually locking casters, 1" removable table top pad, 1 foot (high/low, Trendelenburg, Lateral travel, Longitudinal travel), 1 hand (high/low, Trendelenburg, Lateral travel, Longitudinal travel) | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 566 | 257 | 698 | 317 | 99"x37"x39" | Table Extender, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPMB301-Bariatric Imaging | Carbon Fiber (Rectangular) | 24" (61cm) | 80" (203 cm) | 26"-44" (66cm-112cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 3 Motion, 5" Casters, Heavy Duty Column, Trendelenburg Tilt +/-15/-11 degs, Longitudinal Motion = -10", Patient Safety strap, Emergency Stop, Individually locking casters, 1" table top pads, 1 foot (high/low, Trendelenburg, Longitudinal travel), 1 hand (high/low, Trendelenburg, Longitudinal travel) | --- | --- | 750 lbs. (341 kg) | FDA cETLUS CE Marked CB Certificate | 573 | 260 | 705 | 320 | 64"x37"x41" (Stackable 2 high max) | Table Top Pads, CF Armboard |
| CFPMFXH | Carbon Fiber (Integrated Head Rest) | 22" (56cm) | 84" (213cm) | 37" (94cm) Option Custom heights of 31"-36" (79-91cm). Height is to top of 1" pad | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | Fixed Height, 4" Casters, 1" Removable Table Top Pad, 3 pad package: Face Cushion; 2'(5cm)x12'(31cm) Square pad; 4' (10cm) thick x 12'(31cm) Square pad, Patient Safety Strap | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 404 | 183 | 536 | 243 | 99"x37"x39" (Not Stackable) | Table Extender, Arm Hammock, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFPMFXH | Carbon Fiber (Rectangular) | 24" (61cm) | 80" (203cm) | 37" (94cm) Option Custom heights of 31"-36" (79-91cm). Height is to top of 1" pad | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | Fixed Height, 4" Casters, 1" Removable Table Top Pad, Patient Safety Strap | 5" Casters | --- | 500 lbs. (227 kg) | FDA cETLUS CE Marked CB Certificate | 404 | 183 | 536 | 243 | 99"x37"x45" (Not Stackable) | Table Extender, 6' Detachable T-Rail, Table Top Pads, CF Armboard |
| CFUR301-Urology Imaging | Carbon Fiber top, 23"x28" cantilevered end extension | 23" (58cm) | 47" (119cm) plus 28" (71cm) extension | 25.5"-43.5" (65cm-110cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 3 Motion, 4" Casters, Trendelenburg Tilt +/-15/-11 degs, Longitudinal Motion = -10", Patient safety strap, Emergency Stop, Individually locking casters, 1" table top pads, T-rails full top length, Urology bag hoop, Two (2) lateral extension 5" x 24". Lateral extension attaches to integrated T-Rail, 1 foot (high/low, Trendelenburg, Longitudinal travel), 1 hand (high/low, Trendelenburg, Longitudinal travel) | 5" Casters | --- | 500 lbs. (227 kg) main top, 200 lbs. (91 kg) distributed on cantilevered end extension | FDA cETLUS CE Marked CB Certificate | 589 | 267 | 721 | 327 | 64"x37"x41" (Stackable 2 high max) | Table Top Pads, Clear Protective Drape |

| Table & Chair Specifications | | | | | | | | | | | | | | | | | | |
|---|--|----------------------|---------------------------------------|--|---|-------------|---|--|------------------------------------|--|-------------------------------------|----------------------|---------------------|---------------------------------------|--------------------------------|---|--|--|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories | |
| CFUR401- Urology Imaging | Carbon Fiber top, 23"x28" cantilevered end extension | 23" (58cm) | 47" (119cm) plus 28" (71cm) extension | 25.5"-43.5" (65cm-110cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 4 Motion, 4" Casters, Heavy Duty Column, Trendelenburg Tilt= 15/-11 degs, Longitudinal Motion = -10", Lateral Motion = ± 4", Patient safety strap, Emergency Stop, Individually locking casters, 1" table top pads, T-rails full top length, Urology bag hoop, Two (2) lateral extension 5" x 24", Lateral extensions attach to integrated T-Rail, 1 foot (high/low, Trendelenburg, Lateral travel, Longitudinal travel), 1 hand (high/low, Trendelenburg, Lateral travel, Longitudinal travel) | 5" Casters | --- | 500 lbs. (227 kg) main top, 200 lbs. (91 kg) distributed on cantilevered end extension | FDA cETLus CE Marked CB Certificate | 589 | 267 | 721 | 327 | 64"x37"x41" (Stackable 2 high max) | Table Top Pads, Clear Protective Drape | |
| Clinician (Adjustable) | Flat Top (Round Corner) | 29" 31" (74cm, 79cm) | 73" (185cm) | 25.5"-36.5" (65cm-93cm) Option 20"-32" (51cm-81cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Shelf, clearance for hot towel cabi head end | Cabinet available on 24"-36" height range only, (adds 10 lbs.), Choice of Doors - Signature, Standard or Swing-out (Swing-out doors Are factory installed and require shipping fully assembled table), Laser Engraving, Custom Wood Finishes, Can be shipped fully assembled | --- | 550 lbs. (249 kg) | CE Marked | 104 | 47 | 135 (Note - Fully assembled 200 lbs.) | 61 (Fully assembled 91kg) | 81"x 38"x16" (Fully assembled dimension is 81"x38"x33") | Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rest | |
| Clinician (Adjustable) | Lift-Assist Backrest (Round Corner) | 29" 31" (74cm, 79cm) | 73" (185cm) | 25.5"-36.5" (65cm-93cm) Option 20"-32" (51cm-81cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Shelf, clearance for hot towel cabi head end, Lift-Assist Backrest raises to 79 degrees. | Cabinet available on 24"-36" height range only, (adds 10 lbs.), Choice of Doors - Signature, Standard or Swing-out (Swing-out doors Are factory installed and require shipping fully assembled table), Laser Engraving, Custom Wood Finishes, Can be shipped fully assembled | --- | 550 lbs. (249 kg) | CE Marked | 134 | 61 | 166 (Fully assembled 200 lbs.) | 75 kg (Fully assembled 107 Kg) | 81"x 38"x16" (Fully assembled dimension is 81"x38"x33") | Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| Clinician (Adjustable) | Lift-Assist Salon (Armrest compatible) | 29" 31" (74cm, 79cm) | 73" (185cm) | 25.5"-36.5" (65cm-93cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Shelf, clearance for hot towel cabi head end, Lift-Assist Salon Top, BR raises to 79 degrees, High section raises to 41 degrees, Foot section raises to 19 degrees. | Cabinet available on 24"-36" height range only, (adds 10 lbs.), Choice of Doors - Signature, Standard or Swing-out (Swing-out doors Are factory installed and require shipping fully assembled table), Laser Engraving, Custom Wood Finishes, Can be shipped fully assembled | --- | 550 lbs. (249 kg) | CE Marked | 134 | 61 | 166 (Fully assembled 235 lbs.) | 75 kg (Fully assembled 107 Kg) | 81"x 38"x16" (Fully assembled dimension is 81"x38"x33") | 2012 Spa Table Accessory Packages, Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| Clinician (Electric-Hydraulic) | Flat Top (Round Corner) | 29" 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Clearance for hot towel cabi head end, outlet strip, One Function Foot Control (Height) | Cabinet (adds 19 lbs.), Choice of Doors - Signature, Standard or Swing-out, Laser Engraving, Custom Wood Finishes | --- | 500 lbs. (227 kg) | cETLus CE Marked | 173 | 78 | 261 | 118 | 81 x 38 x 33 | Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| Clinician (Electric-Hydraulic) | Lift-Assist Backrest (Round Corner) | 29" 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Clearance for hot towel cabi head end, outlet strip, One Function Foot Control (Height), Lift-Assist Backrest raises to 79 degrees. | Cabinet (adds 19 lbs.), Choice of Doors - Signature, Standard or Swing-out, Laser Engraving, Custom Wood Finishes | --- | 500 lbs. (227 kg) | cETLus CE Marked | 173 | 78 | 261 | 118 | 81 x 38 x 33 | Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| Clinician (Electric-Hydraulic) | Lift-Assist Salon (Armrest compatible) | 29" 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Armrest holes, clearance for hot towel cabi head end, outlet strip, One Function Foot Control (Height), Lift-Assist Salon Top, BR raises to 79 degrees, High section raises to 41 degrees, Foot section raises to 19 degrees, Table Keyswitch. | Cabinet (adds 19 lbs.), Choice of Doors - Signature, Standard or Swing-out, Laser Engraving, Custom Wood Finishes | --- | 500 lbs. (227 kg) | cETLus CE Marked | 173 | 78 | 261 | 118 | 81 x 38 x 33 | 2012 Spa Table Accessory Packages, Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| Clinician (Manual-Hydraulic) | Flat Top (Round Corner) | 29" 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Clearance for hot towel cabi head end, outlet strip | Cabinet (adds 19 lbs.), Choice of Doors - Signature, Standard or Swing-out, Laser Engraving, Custom Wood Finishes | --- | 500 lbs. (227 kg) | CE Marked | 132 | 60 | 220 | 100 | 81 x 38 x 33 | Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| Clinician (Manual-Hydraulic) | Lift-Assist Backrest (Round Corner) | 29" 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Clearance for hot towel cabi head end, outlet strip, Lift-Assist Backrest raises to 79 degrees. | Cabinet (adds 19 lbs.), Choice of Doors - Signature, Standard or Swing-out, Laser Engraving, Custom Wood Finishes | --- | 500 lbs. (227 kg) | CE Marked | 135 | 61 | 223 | 101 | 81 x 38 x 33 | Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| Clinician (Manual-Hydraulic) | Lift-Assist Salon (Armrest compatible) | 29" 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Armrest holes, clearance for hot towel cabi head end, outlet strip, Lift-Assist Salon Top, BR raises to 79 degrees, High section raises to 41 degrees, Foot section raises to 19 degrees. | Cabinet (adds 19 lbs.), Choice of Doors - Signature, Standard or Swing-out, Laser Engraving, Custom Wood Finishes | --- | 500 lbs. (227 kg) | CE Marked | 135 | 61 | 223 | 101 | 81 x 38 x 33 | 2012 Spa Table Accessory Packages, Hot Towel Cabi (29" & 31"), Small Hot Towel Cabi (29" & 31"), Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| Clinician Premiere (Electric-Hydraulic) | Flat Top (Round Corner) | 29" 31" (74cm, 79cm) | 73" (185cm) | 25-35" (64cm-89cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Cabinet, Electrical Outlet, Hot Towel Cabi compatible (only on 25"-35" height range), choice of Modern or Colonial Molding, choice of 4 standard doors, One Function Foot Control (Height), Table Keyswitch. | Custom Wood Finishes, Signature door upgrade | One Function Hand Control (Height) | 500 lbs. (227 kg) | cETLus CE Marked | 192 | 87 | 280 | 127 | 81"x38"x33" | Hot Towel Cabi, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests, Arm Hammock | |

| Table & Chair Specifications | | | | | | | | | | | | | | | | | |
|--|-------------------------------------|---|-------------|--|---|------------------------------------|--|--|---|-------------------|--|----------------------|---------------------|-----------------------------|----------------------------|---|--|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories |
| Clinician Premiere (Electric-Hydraulic) | Electric Salon (Armrest compatible) | 29", 31" (74cm, 79cm) | 73" (185cm) | 25-35" (64cm-89cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Cabinet, Electrical Outlet, Hot Towel Cabi compatible (only on 25"-35" height range), choice of Modern or Colonial Molding, choice of 4 standard doors, Three Function Foot Control (Height, Backrest, Leg), Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees, Table Keyswitch. | Custom Wood Finishes, Signature door upgrade | Three Function Hand Control (Height, Backrest, Leg) | 500 lbs. (227 kg) | eETLus CE Marked | 192 | 87 | 280 | 127 | 81"x38"x33" | 2012 Spa Table Accessory Packages, Hot Towel Cabi, Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests |
| Clodagh Gemini | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 25"-37" (64cm-94cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Cabinet, Electrical Outlet, Clodagh door design, One Function Foot Control (Height), Foot End Storage Shelf | Custom Wood Finishes, Laser Engraving | Three Function Hand Control (Height, Backrest, Leg) | 500 lbs. (227 kg) | CE Marked (cETLus Listed - Future TBD) | 262 | 119 | 350 | 159 | 81"x38"x33" | Hot Towel Cabi, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests |
| Clodagh Gemini | Electric Salon (Armrest compatible) | 29", 31" (74cm, 79cm) | 73" (185cm) | 25"-37" (64cm-94cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Cabinet, Electrical Outlet, Clodagh door design, Three Function Foot Control (Height, Backrest, Leg), Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees, Foot End Storage Shelf | Custom Wood Finishes, Laser Engraving | Three Function Hand Control (Height, Backrest, Leg) | 500 lbs. (227 kg) | CE Marked (cETLus Listed - Future TBD) | 262 | 119 | 350 | 159 | 81"x38"x33" | 2012 Spa Table Accessory Packages, Hot Towel Cabi, Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender |
| Clodagh Leo (Electric-Hydraulic) | Electric Salon (Armrest compatible) | 29", 31" (74cm, 79cm) | 73" (185cm) | 25"-35" (64cm-89cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Electrical Outlet, Maple slatted shelf, Three Function Foot Control (Height, Backrest, Leg), Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees, Table Keyswitch, Color metal base - Standard is Dove Gray (White Aluminum) | Custom Wood Finishes, Custom Laser Engraving, Color metal base - Satin Black is optional color. | --- | 625 lbs. (284kg) | eETLus CE Marked | 232 | 105 | 320 | 145 | 81"x38"x33" | 2012 Spa Table Accessory Packages, Hot Towel Cabi, Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender |
| Clodagh Libra (Electric-Hydraulic) | Powered Backrest & Seat | 30" (76cm) | 77" (195cm) | 25"-33" (64cm-84cm) | AEROCEL (4") | TERRATOUGH™ | Black metal frame (Midnight Black), maple slat shelf, Pedi-Spa tub with faucet and drain, Power strip [Note: Ordered separately --QLFR Platform (Black), Boiance Facerest (TT), Manicure Armrests (TT)], One Function Foot Control (Height) & Two Function Hand Control (Backrest, Seat) | Custom Wood Finishes | --- | 500 lbs. (227 kg) | CE Marked | 342 | 155 | 430 | 195 | 81" x 38" x 33" (Not Stackable) | Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, |
| Clodagh Libra (Electric-Hydraulic) | Powered Backrest & Seat | 30" (76cm) | 77" (195cm) | 25"-33" (64cm-84cm) | AEROCEL (4") | TERRATOUGH™ | Black metal frame (Midnight Black), maple slat shelf, Pedi-Spa tub, Ten foot (10') drain hose with pump and 5' power cord (from Pedi-Spa to customer drain), Ten foot (10')fill hose (from sink to Pedi Spa), Power strip [Note: Ordered separately --QLFR Platform (Black), Boiance Facerest (TT), Manicure Armrests (TT)], One Function Foot Control (Height) & Two Function Hand Control (Backrest, Seat) | Custom Wood Finishes | --- | 500 lbs. (227 kg) | CE Marked | 342 | 155 | 430 | 195 | 81" x 38" x 33" (Not Stackable) | Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, |
| Clodagh Relaxation Lounge | Powered Flex (Rectangular) | 32" (81cm) | 78" (198cm) | 19" (49cm) | AEROCEL (4") | TERRATOUGH™ | Mini Console, Natural Finish, Two Function Hand Control (Backrest, Leg) (Removable pads) | Custom Wood Finishes | --- | 500 lbs. (227 kg) | CE Marked | 195 | 88 | 275 | 125 | 81"x38"x26" | LED reading light |
| Clodagh Virgo | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Stationary base with electric lifting top, Choice of butcher block or spring legs, One Function Foot Control (Height) | Custom Wood Finishes | --- | 400 lbs. (181 kg) | CE Marked | 117 | 53 | 205 | 93 | 81"x38"x16" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests |
| Clodagh Virgo | Wave Backrest (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 24"-34" (61cm-86cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Stationary base with electric lifting top, Choice of butcher block or spring legs, One Function Foot Control (Height) | Custom Wood Finishes | --- | 400 lbs. (181 kg) | CE Marked | 117 | 53 | 205 | 93 | 81"x38"x16" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender |
| Desktop Portal | N/A | NA | NA | NA | AEROCEL Face Rest, SEMI-FIRM Chest Pad | TERRATOUGH™ | Yoke Cover, AeroCel Face Cushion. Included but ordered separately - Carry Case | Boiance Face Cushion, Memory Face Cushion | --- | Not Applicable | CE Marked | 10 | 5 | 12 | 5 | 25"x15"x9" | Sternum pad, Various Face Rest Crescents, Desktop Portal Carry Case |
| DTPM300 | Polycarbonate (Rectangular) | 24" (61cm) | 78" (198cm) | 24"-40" (61cm-102cm) | Comfort Foam 1", (formerly known as Medical Grade 1") | TERRATOUGH™ | 3 Motion, 4" Casters, 1" Removable Table Top Pad, Trendelenburg Tilt (+14/- 14 degrees), Longitudinal travel (23"), Patient Safety Strap, One Function Foot Control (Height) & Two Function Hand Control (Height, Trendelenburg) | Full T-Rail on both sides of table, or customizable as desired | --- | 450 lbs. (204kg) | FDA eETLus CE Marked CB Certificate | 390 | 177 | 526 | 239 | 99"x37"x39" | Table Extender, Table Top Pads, CF Armboard |
| Marina | Flat Top (Round Corner) | 31" (79cm) | 72" (183cm) | 25"-34" (64cm-86cm) | PLUSH (3") w AC recess for Fomentek bag | TERRATOUGH™ | Charger, 2 batteries, aqueduct, drain hose/clamp, mahogany trim [Included but ordered separately] Fomentek bag, Fitted wet drape], One Function Foot Control (Height) | Custom Wood Finishes | --- | 400lbs (181kg) | CE Marked | 242 | 110 | 330 | 150 | 81"x38"x33" | Fomentek bag, Wet Environment Face Rest Platform & Crescent, Paper Roll Holder (dry use only), Table Extender (dry use only), Bolster Side Arm Rests (dry use only) |
| Mattes Chair | NA | Seat = 16" wide x 15" deep (41cm x 38cm) | --- | Seat is adjustable 17.5" to 19" from floor, Backrest has 7" of adjustment. | FIRM (1") | TERRATOUGH™ Note-Forest Green only | Stable design with great access, Adjustable height range to ensure good lower extremity position, Integrated hand grips under seat, Adjustable height back rest, Adjustable restraint strap built in, Easy folding design with shoulder strap | --- | --- | 300 lbs. (136 kg) | --- | 17 | 8 | 22 with optional pad | 10 with optional pad | 28"x19"x8" | Optional Pad |
| Nova™ | Flat Top (Rectangular) | 29", 31" (74cm, 79cm) Option 27" (69cm), 33" (84cm) | 73" (185cm) | 24"-34" (61cm-86cm) Option 18"-26" (46cm - 66cm), 22"-30" (56cm - 76cm), 26"-36" (66cm - 91cm) | SEMI-FIRM (2.5") Option AeroCel (4"), Plush (3"), Firm(1.5"), BC Plush (29" & 31" only) | TERRATOUGH™ | Patented Integra Hinge, Engraved Wooden Knobs, UniLock, Ultimate Access End Panel, Shiatsu Cable System, Patented Slide Lock System, Maple Legs and braces | Face Hole w/filler (31" only), Laser Engraving, Wooden armrest shelf, Black or Vanilla Grommets, Uni-locks & Bumpers | --- | 550 lbs. (249 kg) | CE Marked | 29-36 | 13-16 | 46-52 | 21-24 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Various Carry Cases, Wood Arm Rest (24"-34" & 26"-36" HR only) (also aromatherapy version), Arm Hammock |

| Table & Chair Specifications | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|-------------|---|--|-------------|--|--|---|-------------------|--|----------------------|---------------------|-----------------------------|----------------------------|---|--|--|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories | |
| Nova™ | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) Option 27" (69cm) | 73" (185cm) | 24"-34" (61cm-86cm) Option 18"-26" (46cm - 66cm), 22"-30" (56cm - 76cm), 26"-36" (66cm - 91cm) | SEMI-FIRM (2.5") Option AeroCel (4"), Plush (3"), Firm(1.5"), BC Plush (29" & 31" only) | TERRATOUGH™ | Patented Integra Hinge, Engraved Wooden Knobs, UniLock, Ultimate Access End Panel, Shiatsu Cable System, Patented Slide Lock System, Maple Legs and braces | Face Hole w/filler (31" only), Laser Engraving, Wooden armrest shelf, Black or Vanilla Grommets, Uni-locks & Bumpers | --- | 550 lbs. (249 kg) | CE Marked | 29-36 | 13-16 | 46-52 | 21-24 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Various Carry Cases, Wood Arm Rest (24"-34" & 26"-36" HR only) (also aromatherapy version), Arm Hammock | |
| ONE (Package only) | Flat Top (Rectangular) | 30"(76cm) Option 28" (72cm) | 73" (185cm) | 24"-34" (61cm-86cm) | MULTI-LAYER (3") | TERRATOUGH™ | Patented Integra Hinge, Engraved Wooden Knobs, UniLock, Ultimate Access End Panel, Shiatsu Cable System, Cable Lock System, Maple Legs and braces. Included but ordered separately - Face Rest Crescent Cushion (AeroCel), Face Rest (Adjustable), Carry Case (Essential), Arm Hammock | Custom Laser Engraving, Wooden armrest shelf, Black or Vanilla Grommets, Uni-locks & Bumpers | --- | 500 lbs. (227 kg) | CE Marked | 25-32 | 11-15 | 46 | 21 | 28": 40"x11"x32" 30": 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Various Carry Cases, Wood Arm Rest, Arm Hammock | |
| Orthopedic Hi-Lo Casting Table | 3 Section: 38 7/8" (98.7cm) 0" to 90" fowler back; 10 7/8"(27.6cm) 10" to -90" head section; 22 3/4" (57.8cm) stationary midsection | 31" (79cm) | 73" (185cm) | 17"-35" (43cm-89cm) | Comfort Foam 2.5", (formerly known as Medical Grade 2.5") | TERRATOUGH™ | Metal bracket outlet holes (backrest end), One Retractable Side Rail (customer must specify side), Resin Casting Cover over short end section (no foam), One Function Foot Control (Height) | 2nd Retractable Side Rail, Locking Twin Caster (one end) | One Function Hand Control | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 165 | 75 | 250 | 113 | 81"x38"x26" | One End Only - Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders | |
| PerformaLift | Electric Salon (Armrest compatible) | 29", 31" (74cm, 79cm) | 73" (185cm) | 22"-38" (56cm-97cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | 15 degree trendelenburg feature, Adjustable feet, Four Function Foot Control (Height, Backrest, Leg, Trendelenburg), Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees. | Custom Wood Finishes, Custom Laser Engraving, Locking Casters | Four Function Hand Control (Height, Backrest, Leg, Trendelenburg) | 550 lbs. (250 kg) | cETLus CE Marked CB Certificate | 234 | 106 | 322 | 146 | 81"x38"x29" | 2012 Spa Table Accessory Packages, Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| PerformaLift | Lift-Assist Backrest (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 22"-38" (56cm-97cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | 15 degree trendelenburg feature, Adjustable feet, Two Function Foot Control (Height, Trendelenburg), Lift-Assist Backrest raises to 79 degrees. | Custom Wood Finishes, Custom Laser Engraving, Locking Casters | Two Function Hand Control (Height, Trendelenburg) | 550 lbs. (250 kg) | cETLus CE Marked CB Certificate | 212 | 96 | 300 | 136 | 81"x38"x29" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| PerformaLift | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 21"-37" (53cm-94cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | 15 degree trendelenburg feature, Adjustable feet, Two Function Foot Control (Height, Trendelenburg) | Custom Wood Finishes, Custom Laser Engraving, Locking Casters | Two Function Hand Control (Height, Trendelenburg) | 550 lbs. (250 kg) | cETLus CE Marked CB Certificate | 212 | 96 | 300 | 136 | 81"x38"x29" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| PF200 | Flat Top (Round Corner) | 27", 29", 31" (69cm, 74cm, 79cm) | 73" (185cm) | 21"-37" (53cm-94cm) | Comfort Foam (3), (formerly known as Plush- 3") Option Comfort Foam 4" | TERRATOUGH™ | 15 degree trendelenburg feature, Adjustable feet, Two Function Foot Control (Height, Trendelenburg) | Custom Wood Finishes, Custom Laser Engraving, Locking Casters | Two Function Hand Control (Height, Trendelenburg) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 212 | 96.161504 | 300 | 136.0776 | 81"x38"x33" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| PF250 | Lift-Assist Backrest (Round Corner) | 27", 29", 31" (69cm, 74cm, 79cm) | 73" (185cm) | 22"-38" (56cm-97cm) | Comfort Foam (3), (formerly known as Plush- 3") Option Comfort Foam 4" | TERRATOUGH™ | 15 degree trendelenburg feature, Adjustable feet, Two Function Foot Control (Height, Trendelenburg), Lift-Assist Backrest raises to 79 degrees. | Custom Wood Finishes, Custom Laser Engraving, Locking Casters, Stirrups (31" Top only) | Two Function Hand Control (Height, Trendelenburg) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 212 | 96.161504 | 300 | 136.0776 | 81"x38"x33" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| PF400 | Electric Salon (Armrest compatible) | 27", 29", 31" (69cm, 74cm, 79cm) | 73" (185cm) | 22"-38" (56cm-97cm) | Comfort Foam (4), (formerly known as AC- 4") | TERRATOUGH™ | 15 degree trendelenburg feature, Adjustable feet, Four Function Foot Control (Height, Backrest, Leg, Trendelenburg), Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees. | Custom Wood Finishes, Custom Laser Engraving, Locking Casters, Stirrups (31" Top only) | Four Function Hand Control (Height, Backrest, Leg, Trendelenburg) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 234 | 106.140528 | 322 | 146.056624 | 81"x38"x33" | Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| PG200 | Flat Top (Round Corner) | 30"(76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3" (formerly known as Multi-Layer 3") Option Comfort Foam 4" | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Two Function Foot Control (Height, Trendelenburg) | Central Base Locking System (Note - pedal is standard at the foot end), Side Rails, Patient lift compatible base (24"-40") Height Range, can not be used with central base locking) | Two Function Hand Control (Height, Trendelenburg) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 162.839528 | 451 | 204.569992 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| PG300 | 2 Section: Backrest/ Fowler 34" (86cm), Seat 38" (97cm) | 30"(76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3" (formerly known as Multi-Layer 3") Option Comfort Foam 4" | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Electric Backrest/ Fowler, Three Function Foot Control (Height, Trendelenburg, Fowler) | Central Base Locking System (Note - pedal is standard at the foot end), Side Rails, Patient lift compatible base (24"-40") Height Range, can not be used with central base locking) | Three Function Hand Control (Height, Trendelenburg, Backrest/ Fowler) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 162.839528 | 451 | 204.569992 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| PG350 | 3 Section: Backrest/ Fowler 34" (86cm), Seat 24" (61cm), Foot 13" (33cm) | 30"(76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3" (formerly known as Multi-Layer 3") Option Comfort Foam 4" | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Manual Adjusting Foot Rest, Electric Backrest/ Fowler, Three Function Foot Control (Height, Trendelenburg, Fowler) | Central Base Locking System (Note - pedal is standard at the foot end), Stirrups (Retractable Foot Rests), Side Rails, Patient lift compatible base (24"-40") Height Range, can not be used with central base locking) | Three Function Hand Control (Height, Trendelenburg, Backrest/ Fowler) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 162.839528 | 451 | 204.569992 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Portable Manipulation Table | Flat Top (Rectangular) | 27" (69cm) | 73" (185cm) | 24"-34" (61cm-86cm) | FIRM RESPONSE (1.5") | TERRATOUGH™ | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs | Sport stripe, Custom embroidery | --- | 550 lbs. (249 kg) | FDA CE Marked | 25 | 11 | 40 | 18 | 40"x11"x30" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Field Feet, Various Carry Cases, Aluminum Arm Rest, Arm Hammock | |
| Portable Taping Table | Flat Top (Marine Grade Polymer) | 24" (61cm) | 48" (122cm) | 32"-42" (81cm-107cm) | NA | NA | Telescoping Aluminum legs. Included but ordered separately - Field Feet, Shoulder Strap | --- | --- | 500 lbs. (227 kg) | CE Marked | 35 | 16 | 52 | 24 | 51"x26"x10" | Field Feet, Various Carry Cases | |

| Table & Chair Specifications | | | | | | | | | | | | | | | | | |
|------------------------------|---|------------------------------------|----------------|---|---|---|--|---|---|--|--|---|---|---|--|--|---|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories |
| Portal Light | N/A | NA | NA | NA | AEROCEL Face Rest; SEMI-FIRM Arm Rest; SEMI-FIRM Chest Pad; FIRM Knee Rest; FIRM Seat Pad | TERRATOUGH™ Note-select colors only (Heron, Coal, Ruby, Bluegrass, Sage, Orchid, Clay, Opal) | Adjustable chest pad height, adjustable seat height, adjustable facerest height, adjustable armrest height. Included but ordered separately - Carry Case | --- | --- | 300 lbs. (136 kg) | CE Marked | 15 | 7 | 22 | 10 | 46"x22"x8" | Sternum pad, Carry strap, Various Face Rest Crescents, Portal Light Carry Case |
| Portal Pro® III Package | N/A | NA | NA | NA | AEROCEL Face Rest; SEMI-FIRM Arm Rest; SEMI-FIRM Chest Pad; FIRM Knee Rest; FIRM Seat Pad | TERRATOUGH™ | Adjustable seat height, adjustable seat tilt, adjustable chest pad height, adjustable facerest height, adjustable armrest height. Wheels for transport. Included but ordered separately - Carry Case | --- | --- | 350 lbs. (159 kg) | CE Marked | 19 | 9 | 30 | 14 | 44"x22"x14" | Sternum pad, Carry strap, Various Face Rest Crescents, Portal Pro Carry Case |
| PowerLine™ | Flat Top (Round Corner) | 27", 30" (69cm, 76cm) | 72" (183cm) | 30" (76cm) | SEMI-FIRM(2.5") Option Firm Response (1.75") | TERRATOUGH™ | Paper Roll Holder, includes assembly hardware and tools | --- | --- | 500 lbs. (227 kg) | FDA CE Marked | 30" (90 lbs.) / 27" (87 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (40 kg) / 27" (39 kg) w/o shelf (shelf is 11 kg) | 30" (105 lbs.) / 27" (102 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (47 kg) / 27" (46 kg) w/o shelf (shelf is 11 kg) | 76"x32"x8" (Fully assembled 81"x38"x33") | Storage Shelf, Hot Towel Cabi (only with shelf), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender |
| PowerLine™ | Wave Backrest (Round Corner) | 27", 30" (69cm, 76cm) | 72" (183cm) | 30" (76cm) | SEMI-FIRM(2.5") Option Firm Response (1.75") | TERRATOUGH™ | Paper Roll Holder (located on Backrest end of table), includes assembly hardware and tools | --- | --- | 500 lbs. (227 kg) | FDA CE Marked | 30" (90 lbs.) / 27" (87 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (40 kg) / 27" (39 kg) w/o shelf (shelf is 11 kg) | 30" (105 lbs.) / 27" (102 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (47 kg) / 27" (46 kg) w/o shelf (shelf is 11 kg) | 76"x32"x8" (Fully assembled 81"x38"x33") | Storage Shelf, Hot Towel Cabi (only with shelf), Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender |
| Proluxe | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 18"-35" (46cm-89cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Motor Cover, One Function Foot Control (Height) | Locking Twin Caster (one end), Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 13"H x 19.75"W x 9"Deep | Foot or Hand control | 550 lbs. (250 kg) | eETLus CE Marked CB Certificate FSC | 170 | 77 | 255 | 116 | 81"x38"x26" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 13"H x 19.75"W x 9"Deep |
| Proluxe | Lift-Assist Backrest (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 21"-38" (53cm-97cm) | PLUSH (3") Option AeroCel (4"), AeroCel (6") | TERRATOUGH™ | Motor Cover, One Function Foot Control (Height), Lift-Assist Backrest raises to 79 degrees. | Locking Twin Caster (one end), Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 12"H x 19.75"W x 9"Deep | Foot or Hand control | 550 lbs. (250 kg) | eETLus CE Marked CB Certificate | 170 | 77 | 255 | 116 | 81"x38"x26" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 12"H x 19.75"W x 9"Deep |
| Proluxe | Lift-Assist Salon (Armrest compatible) | 29", 31" (74cm, 79cm) | 73" (185cm) | 21"-38" (53cm-97cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Motor Cover, Attachment holes for auto adjust armrests, One Function Foot Control (Height), Lift-Assist Salon Top, BR raises to 79 degrees, Thigh section raises to 41 degrees, Foot section raises to 19 degrees. | Locking Twin Caster (one end), Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 12"H x 19.75"W x 9"Deep | Foot or Hand control | 550 lbs. (250 kg) | eETLus CE Marked CB Certificate | 202 | 92 | 287 | 130 | 81"x38"x32" | 2012 Spa Table Accessory Packages, Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 12"H x 19.75"W x 9"Deep |
| Proluxe | Electric Salon (Armrest compatible) | 29", 31" (74cm, 79cm) | 73" (185cm) | 21"-38" (53cm-97cm) | AEROCEL (4") Option AeroCel (6") | TERRATOUGH™ | Motor Cover, Attachment holes for auto adjust armrests, Three Function Foot Control (Height, Backrest, Leg), Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees. | Locking Twin Caster (one end), Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 12"H x 19.75"W x 9"Deep | Three Function Hand Control (Height, Backrest, Leg) | 550 lbs. (250 kg) | eETLus CE Marked CB Certificate | 202 | 92 | 287 | 130 | 81"x38"x32" | 2012 Spa Table Accessory Packages, Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender Storage Shelf (either or both end) 8.75"H x 19.75"W x 13"Deep, Cabi Shelf includes Power Strip (head end ONLY) 12"H x 19.75"W x 9"Deep |
| Proluxe Convertible | NA | 29" (74cm) | 66" (166cm) | 14"-30" (36cm-76cm) with no table | NA | NA | (No Motor Cover), Will fit portable tables 27" to 33" wide, 72" to 75" long, One Function Foot Control (Height) | Locking Twin Caster (one end). Note SHIPPING DIFFERENCE | Foot or Hand control | Lifting Capacity 550 lbs. Working Weight is defined by the table that is mounted to the unit. | -- | 115 | 52 | 135 (200 if ordered with optional casters) | 61 (91 if ordered with optional casters) | 67"x31"x22" (81"x38"x26" if ordered with optional casters) | NA |
| PT100 | Flat Top (Round Corner) | 29" (74cm) option 27" (69cm) | 73" (185cm) | 16"-34" (40cm-86cm) | FIRM RESPONSE (1.75") Option Comfort foam (2.5") | TERRATOUGH™ | One Function Foot Control (Height), Metal bracket outlet holes (one end) | Safety "Strap-rail", Locking Twin Caster (one end) | Foot or Hand control | 550 lbs. (250 kg) | FDA eETLus CE Marked CB Certificate | 155 | 70 | 240 | 109 | 81"x38"x26" | One End Only - Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders |
| PT150 | 2 Section: 38 7/8" (98.7cm) 0" to 85" towler back; 36" (92cm) stationary seat section | 29" (74cm) Option 31" (79cm) | 75" (190cm) | 16"-34" (40cm-86cm) | FIRM RESPONSE (1.75") Option Comfort foam (2.5") | TERRATOUGH™ | Gas assist backrest, manual foot/head section, metal bracket outlet holes (backrest end), One Function Foot Control (Height) | 1 or 2 Retractable Side Rails for 31" only (If 1 then customer must specify side), Locking Twin Caster (one end) | Foot or Hand control | 550 lbs. (250 kg) | FDA eETLus CE Marked CB Certificate | 160 | 73 | 245 | 111 | 81"x38"x26" | One End Only - Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders |

| Table & Chair Specifications | | | | | | | | | | | | | | | | | | |
|---------------------------------------|--|--|--|---------------------|---|--------------------------------|--|--|---|-------------------|---|--|--|--|--|---|---|--|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories | |
| PT200 | 2 Section: 58"(147.3cm) flat section; 19.25"(48.9cm) 40" to 90" head section | 29" (74cm) | 77" (196cm) | 16"-34" (40cm-86cm) | FIRM RESPONSE (1.75") Option Comfort foam (2.5") | TERRATOUGH™ | One Function Foot Control (Height), Metal bracket outlet holes (opposite articulating end) | Locking Twin Caster (one end) | Foot or Hand control | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 165 | 75 | 250 | 113 | 81"x38"x26" | One End Only - Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders | |
| PT250 | 2 Section: 61 13/16" (157cm) flat section; 10 11/16"(27.1cm) 40" to 90" head section | 29" (74cm) Option 31" (79cm), 27" (69cm) | 72" (183cm) | 16"-34" (40cm-86cm) | FIRM RESPONSE (1.75") Option Comfort foam (2.5") | TERRATOUGH™ | Manual foot/head section, One Function Foot Control (Height), Metal bracket outlet holes (opposite articulating end) | Locking Twin Caster (one end) | Foot or Hand control | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 151 | 68 | 236 | 107 | 81"x38"x26" | One End Only - Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders | |
| PT300 | 3 Section: 38 7/8" (98.7cm) 0" to 85" fowler back; 10 7/8"(27.6cm) 40" to 90" head section; 22 3/4" (57.8cm) stationary midsection | 29" (74cm) Option 31" (79cm) | 73" (185cm) | 16"-34" (40cm-86cm) | FIRM RESPONSE (1.75") Option Comfort foam (2.5") | TERRATOUGH™ | Gas assist backrest, manual foot/head section, metal bracket outlet holes (backrest end), One Function Foot Control (Height) | 1 or 2 Retractable Side Rails for 31" only (If 1 then customer must specify side), Locking Twin Caster (one end) | Foot or Hand control | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 160 | 73 | 245 | 111 | 81"x38"x26" | One End Only - Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders | |
| PT400 | 3 Section: 38 7/8" 0" to 85" fowler back; 10" 47" to 92" head section; 22" seat section, 0" to 26" powered center break | 27" (69cm) Option 29" (74cm), 31" (79cm) | 73" (185 cm) | 17"-35" (43cm-89cm) | FIRM RESPONSE (1.75") Option Comfort foam (2.5") | TERRATOUGH™ | Powered center break (10" high, 43 degree break angle (26/17 degrees), Gas assist backrest (0" to 82"), Manual 10" foot/head section (47" to 92"), 22" seat section, Accessory adaptor bracket, foot control | Locking casters, hand control | Hand control | 550 lbs. (249 kg) | FDA cETLus CE Marked CB Certificate | 198 | 90 | 283 | 128 | 81"x38"x26" | One End Only - Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders | |
| PT400M | 2 Section Contoured top with Powered Center Break | Contoured Top, torso section 29.5" (75cm) at widest point, leg-foot end 28.5" (72cm) at widest point | 66" (168 cm), Top with face rest 77" (196 cm), top with both face rest & table extender 86" (218 cm) | 18"-36" (46cm-91cm) | Comfort foam (2.5") Option Comfort foam (4") FIRM RESPONSE (1.75") | TERRATOUGH™ | Powered center break (9" high, 45 degree break angle (33/12 degrees), foot control, includes package with both QLFR & Boiance pad, Accessory Mounting Plate both ends | Locking casters, hand control | Hand control | 550 lbs. (249 kg) | FDA cETLus CE Marked CB Certificate | 186 | 84 | 271 | 123 | 81"x38"x26" | Rotating Arm Rest, Extension Pad, Armrest Shelf Bracket, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders Patient restraint straps | |
| PX100 | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) | 73" (185cm) | 18"-35" (46cm-89cm) | Comfort Foam (3), (formerly known as Plush- 3") Option Comfort Foam 4" | TERRATOUGH™ | Motor Cover, One Function Foot Control (Height) | Locking Twin Caster (one end) | Foot or Hand control | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate FSC | 170 | 77.11064 | 255 | 115.66596 | 81"x38"x26" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| PX150 | Lift-Assist Backrest (Round Corner) | 29", 31" (74cm, 79cm) | 75" (190cm) | 21"-38" (53cm-97cm) | Comfort Foam (3), (formerly known as Plush- 3") Option Comfort Foam 4" | TERRATOUGH™ | Motor Cover, One Function Foot Control (Height), Lift-Assist Backrest raises to 79 degrees. | Locking Twin Caster (one end) | Foot or Hand control | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 170 | 77.11064 | 255 | 115.66596 | 81"x38"x26" | Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| PX300 | Electric Salon (Armrest compatible) | 29", 31" (74cm, 79cm) | 73" (185cm) | 21"-38" (53cm-97cm) | Comfort Foam (4") | TERRATOUGH™ | Motor Cover, Attachment holes for auto adjust armrests. Three Function Foot Control (Height, Backrest, Leg). Electric Salon Top, BR raises to 53 degrees, Thigh section raises to 51 degrees, Foot section raises to 19 degrees. | Locking Twin Caster (one end), Stirrups (31" Top only) | Three Function Hand Control (Height, Backrest, Leg) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 202 | 91.625584 | 287 | 130.180904 | 81"x38"x32" | Side Arm Rests, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender | |
| Seychelle | Flat Top (Round Corner) | 27", 30" (69cm, 76cm) | 72" (183cm) | 31" (79cm) | PLUSH (3") Option AeroCel (4") | TERRATOUGH™ | Shelf | Can be shipped fully assembled | --- | 500 lbs. (227 kg) | CE Marked | 30" (90 lbs.) / 27" (87 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (40 kg) / 27" (39 kg) w/o shelf (shelf is 11 kg) | 30" (105 lbs.) / 27" (102 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (47 kg) / 27" (46 kg) w/o shelf (shelf is 11 kg) | 76"x32"x8" (Fully assembled 81"x38"x33") | Hot Towel Cabi, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| Seychelle | Wave Backrest (Round Corner) | 27", 30" (69cm, 76cm) | 73" (185cm) | 31" (79cm) | PLUSH (3") Option AeroCel (4") | TERRATOUGH™ | Shelf | Can be shipped fully assembled | --- | 500 lbs. (227 kg) | CE Marked | 30" (90 lbs.) / 27" (87 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (40 kg) / 27" (39 kg) w/o shelf (shelf is 11 kg) | 30" (105 lbs.) / 27" (102 lbs.) w/o shelf (shelf is 25 lbs.) | 30" (47 kg) / 27" (46 kg) w/o shelf (shelf is 11 kg) | 76"x32"x8" (Fully assembled 81"x38"x33") | Hot Towel Cabi, Lower Arm Rests, Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extender, Bolster Side Arm Rests | |
| Spinal Positioning System II (SPS II) | NA | NA | NA | NA | MULTI-LAYER MEDICAL GRADE | TERRATOUGH™ Note-Black only | Carry Case, Radiolucent Frame w/ Adjustable Face Rest (1/4" x 12" x 33.5"), Contoured Torso support pad (1) 23" x 30" x 6.5", Contoured Torso wedge (1) 22.5" x 29" x 2.5", rectangular adjuster pads (1) 8" x 22" x 2", rectangular adjuster pads (1) 7" x 12" x 1.5", Crescent face rest pad 12" dia., 8" semi-round bolster (6" x 8" x 26") | --- | --- | 350 lbs. | FDA CE Marked | 15.5 | 7.030676 | 16.5 | 7.484268 | 33.5"x32"x8.5" | NA | |
| Storable Mat | Flat Top (Rectangular) | 33", 35" (84cm, 89cm) | 78" (198cm) | 16"-25" (41cm-64cm) | SEMI-FIRM(2.5") Option Firm (1.5") | TERRATOUGH™ | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs | --- | --- | 550 lbs. (249 kg) | FDA CE Marked | 40-45 | 18-20 | 33"-50 lbs.; 35"-56 lbs. | 23-26 | 33" W- 40"x11"x36"; 35" W-42"x10"x38" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Field Feet, Various Carry Cases, Arm Hammock | |
| Storable Mat | Flat Top (Rectangular) | 40" (102cm) | 78" (198cm) | 16"-25" (41cm-64cm) | SEMI-FIRM(2.5") Option Firm (1.5") | TERRATOUGH™ | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs, Stabilizing Feet (4) | --- | --- | 550 lbs. (249 kg) | FDA CE Marked | 55 | 23 | 63 | 29 | 42"x10"x43" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Arm Hammock | |

| Table & Chair Specifications | | | | | | | | | | | | | | | | | | |
|--|--|---|-------------|---|--|-------------|--|--|--|-------------------|--|----------------------|---------------------|-----------------------------|----------------------------|---|--|--|
| Product Name | Top Style | Top Width | Top Length | Height Range | Foam | Fabric | Features | Options (must be ordered with table) | Optional Electrical Controls | Weight Capacity | Safety Listings | Product Weight (Lb.) | Product Weight (Kg) | Gross Shipping Weight (Lb.) | Gross Shipping Weight (Kg) | Package Dimensions (all Stackable unless noted) | Accessories | |
| Ultrasound - Echocardiography | 2 Section: Fowler 34" (86cm), Seat 38" (97cm) | 30" (76cm) ONLY | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Electric Fowler, Right Side Adjustable Access/Back Support, Manual Left Side Sliding Cardio (28"L by 10"W, maximum opening 15"), Three Function Hand Control (Height, Trendelenburg, Fowler) | Central Base Locking System (Note - pedal is standard at the foot end), Side Rails, Electric Left Side Sliding Cardio (28"L by 10"W, maximum opening 15") with additional function added to Control, Patient lift compatible base (24"-38" Height Range, can not be used with central base locking) | Three Function Foot Control (Height, Trendelenburg, Fowler) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 163 | 451 | 205 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Ultrasound - General 1-Section | Flat Top (Round Corner) | 30" (76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Two Function Hand Control (Height, Trendelenburg) | Central Base Locking System (Note - pedal is standard at the foot end), Side Rails, Patient lift compatible base (24"-38" Height Range, can not be used with central base locking) | Two Function Foot Control (Height, Trendelenburg) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 163 | 451 | 205 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Ultrasound - General 2-Section | 2 Section: Fowler 34" (86cm), Seat 38" (97cm) | 30" (76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Electric Fowler, Three Function Hand Control (Height, Trendelenburg, Fowler) | Right and/or Left Back Supports, Central Base Locking System (Note - pedal is standard at the foot end), Side Rails, Patient lift compatible base (24"-38" Height Range, can not be used with central base locking) | Three Function Foot Control (Height, Trendelenburg, Fowler) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 163 | 451 | 205 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Ultrasound - General 3-Section | 3 Section: Fowler 34" (86cm), Seat 24" (61cm), Foot 13" (33cm) | 30" (76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Manual Adjusting Foot Rest, Electric Fowler, Three Function Hand Control (Height, Trendelenburg, Fowler) | Right and/or Left Back Supports, Central Base Locking System (Note - pedal is standard at the foot end), Retractable Foot Rests (straps), Side Rails, Patient lift compatible base (24"-38" Height Range, can not be used with central base locking), Procedure Tray (Code FP) on 30" W only (tray is 12.25"x10.25" and holds 2 quarts/1.9 liters) | Three Function Foot Control (Height, Trendelenburg, Fowler) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 163 | 451 | 205 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Ultrasound - Multi-Specialty | 3 Section: Fowler 34" (86cm), Seat 24" (61cm), Foot 13" (33cm) | 30" (76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Manual Adjusting Foot Rest, Electric Fowler, Left & Right Back Supports, Retractable Foot Rests (straps), Central Base Locking System (Note - pedal is standard at the foot end), Three Function Hand & Foot Control (Height, Trendelenburg, Backrest) | Side Rails, Cardio Panel on 30" only (electric or manual - maximum opening 15"), Procedure Tray (Code FP) on 30" W only (tray is 12.25"x10.25" and holds 2 quarts/1.9 liters) | --- | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 163 | 451 | 205 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Ultrasound - Vascular 1 - Section | Flat Top (Round Corner) | 30" (76cm) Option 27" (69cm) | 72" (183cm) | 23"-40" (58cm-102cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 15" Standard and Reverse Trendelenburg Positioning, 25 degrees Vascular Tilt (40 degrees of useful Vascular tilt), 4" Locking Casters, Paper Roll Holder, Side Rails, Patient restraint straps, Integrated Foot Boards (split, drop away), Three Function Hand Control (Height, Trendelenburg, Vascular) | Left Side Manual or Electric Sliding Cardio on 30" only (maximum opening 15"), Central Base Locking System (Note - pedal is standard at the foot end), Patient lift compatible base (25" - 41" Height Range, can not be used with central base locking) | Three Function Foot Control (Height, Trendelenburg, Vascular) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 452 | 205 | 544 | 247 | 99"x37"x39" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Ultrasound - Vascular 2 - Section | 2 Section: Fowler 34" (86cm), Seat 38" (97cm) | 30" (76cm) Option 27" (69cm) | 72" (183cm) | 23"-40" (58cm-102cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 15" Standard and Reverse Trendelenburg Positioning, 25 degrees Vascular Tilt (Note: Backrest can be tilted another 30 degrees to produce an effective 70 degrees of useful Vascular tilt), Backrest angle 75 degrees Maximum (For patient safety - not recommended to use more than 30 degrees when using full Vascular tilt), 4" Locking Casters, Paper Roll Holder, Side Rails, Patient restraint straps, Integrated Foot Boards (split, drop away), Electric Fowler, Four Function Hand Control (Height, Trendelenburg, Fowler, Vascular) | Right & Left Side Adjustable Access/Back Support, Left Side Manual Sliding Cardio on 30" only (maximum opening 15"), Central Base Locking System (Note - pedal is standard at the foot end), Patient lift compatible base (25" - 41" Height Range, can not be used with central base locking) | Four Function Foot Control (Height, Trendelenburg, Fowler, Vascular) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 452 | 205 | 544 | 247 | 99"x37"x39" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Ultrasound - Women's Imaging | 3 Section: Fowler 34" (86cm), Seat 24" (61cm), Foot 13" (33cm) | 30" (76cm) Option 27" (69cm) | 72" (183cm) | 22"-38" (56cm-97cm) | Comfort Foam 3", (formerly known as Multi-Layer 3") | TERRATOUGH™ | 4" Locking Casters, 15" Standard and Reverse Trendelenburg Positioning, Paper Roll Holder, Manual Adjusting Foot Rest, Electric Fowler, Right Back Support, Retractable Foot Rests (straps), Three Function Hand Control (Height, Trendelenburg, Fowler) | Left Back Support, Central Base Locking System (Note - pedal is standard at the foot end), Side Rails, Cardio Panel on 30" only (electric or manual - maximum opening 15"), Patient lift compatible base (24"-38" Height Range, can not be used with central base locking), Procedure Tray (Code FP) on 30" W only (tray is 12.25"x10.25" and holds 2 quarts/1.9 liters) | Three Function Foot Control (Height, Trendelenburg, Fowler) | 550 lbs. (250 kg) | FDA cETLus CE Marked CB Certificate | 359 | 163 | 451 | 205 | 81"x38"x33" | Various Face Rest Platforms & Crescents, Table Extenders, US Detachable Arm Board, Accessory Mounting Plate, 6" Detachable T-Rail | |
| Wellspring II™ | Flat Top (Rectangular) | 29", 31" (74cm, 79cm) Option 27" (69cm) | 73" (185cm) | 24"-34" (61cm-86cm) Option 17"-26" (43.3cm-66cm) Note -29" or 31" width only, 22"-31" (60cm-79cm) | SEMI-FIRM (2.5") Option AeroCel (4"), Plush (3"), Firm (1.5"), BC Plush (29" & 31" only) | TERRATOUGH™ | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs | Face hole w filler | --- | 550 lbs. (249 kg) | CE Marked | 25-30 | 11-14 | 38-45 | 17-20 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Field Feet, Various Carry Cases, Aluminum Arm Rest, Arm Hammock | |
| Wellspring II™ | Flat Top (Round Corner) | 29", 31" (74cm, 79cm) Option 27" (69cm) | 73" (185cm) | 24"-34" (61cm-86cm) Option 17"-26" (43.3cm-66cm) Note -29" or 31" width only, 22"-31" (60cm-79cm) | SEMI-FIRM (2.5") Option AeroCel (4"), Plush (3"), Firm (1.5"), BC Plush (29" & 31" only) | TERRATOUGH™ | Patented Integra Hinge, UniLock, Complementary Suspension System, Exceptional frame strength, Telescoping Aluminum legs | Face hole w filler | --- | 550 lbs. (249 kg) | CE Marked | 25-30 | 11-14 | 38-45 | 17-20 | 40"x11"x34" | Various Face Rest Platforms & Crescents, Paper Roll Holder, Table Extenders, Bolster Side Arm Rests, Field Feet, Various Carry Cases, Aluminum Arm Rest, Arm Hammock | |